


GENERAL NOTES:  
This drawing has been produced for our client and is submitted as part of a planning application / building regulations submission and is not intended for use by any other person or for any other purpose. Use of this drawing is subject to copyright.  
The contractor is to check all site dims and levels before work starts and notify Architect of any discrepancies. This drawing must be read and checked against all structural and other specialist drawings and specifications etc. The contractor is to comply with all current British Standards and Building Regulations whether or not specifically stated on these drawings. Do not scale from this drawing.



West Elevation - facing Woodcote Drive

ACCESSIBLE LEVEL DOOR THRESHOLDS INTO THE BUILDING  
Entrance door to have an accessible level threshold provided with a weather bar (maximum height 15mm) with suitable drainage channel. Landings to have a fall of 1:40-1:60 away from the door. Principal entrance door to have a minimum 775mm clear opening between the door leaf and doorposts.



South Elevation - facing Peaks Hill



East Elevation - facing Playing Fields




North Flank Elevation

Key

- uPVC louvered ventilation grille
- Thru-roof vent
- Stainless steel louvered boiler flue cowl
- Obscured glass up to 1.7m from FFL and fixed shut

LIGHTBOX  
ARCHITECTURE  
LIMITED

121 Greenbank Avenue  
Salisbury  
East Sussex  
BN2 8QP  
07754 093827  
email: info@lightboxarchitecture.com  
web: www.lightboxarchitecture.com  
© Lightbox Architecture Limited (UK) - 2018



1:50  
0 0.5 1.0 1.5 2.0 2.5

Client  
Sandy Lane Projects  
Address  
8 Woodcote Drive  
Purley  
CR8 3PD

Drawing  
Elevations

PRELIMINARY / PLANNING / BUILDING REGS

Rev. Date Description By

Drawing Number

20/105/107

Revision

A

Scale 1:50 @ A1 Date 28.04.2020 By JB